	hich the trachea divides into the mainstem bronchi?	1)			
A) Vallecula	B) Hypopharynx	,			
C) Carina	D) Cricoid cartilage				
) In order to place a dual lumen airway, s		2)			
A) Visualize the airway with direct laryngoscopy					
B) Hyperextend the neck					
C) Perform a tongue-jaw lift D) Use a malleable stylette					
	of using a dual lumen airway device, such as a	3)			
CombiTube?	ika asambamus				
A) It will work even if it is placed in the B) Its two lumens provide for greater	r delivery of oxygen than with an endotracheal tube				
C) It cannot be inserted incorrectly	delivery of oxygen than with an endotractical tube				
D) It is excellent for long-term ventil	atory management				
	s meets all other criteria for the insertion of a CombiTube,	4)			
which is the only one who is a candidat					
of the liver	y of massive upper gastrointestinal bleeding and cirrhosis				
attempt	llowed a lime and calcium deposit remover in a suicide				
· · · · · · · · · · · · · · · · · · ·	ear drowning at a local swimming pool erdosed on antidepressants and alcohol				
You have been ordered by medical cont devices should you use?	trol to insert a dual lumen airway. Which of the following	5)			
A) Laryngeal mask airway	B) Endotracheal tube				
C) CombiTube	D) Nasopharyngeal airway				
6) Which of the following indicates inadequate breathing in an adult?					
A) Use of accessory muscles	B) Equal chest expansion				
C) Breathing less than 20 times per m	ninute D) Regular respiratory rhythm				

C) Trachea

8) \_\_\_\_

D) Vallecula

8) Which of the following structures is protected by the epiglottis?

B) Hypopharynx

A) Esophagus

9	Which of the	following	situations	might ne	cessitate th	ne use of ar	ı advanced	airway	7?
-	VVIIICII OI LIIC	TOHOWHIE	Situations	mugnit ne	ccssitate ti	ic use of ai	i aa varicca	. am vva y	

A) Traumatic brain injury
C) Pulmonary edema

B) Drug overdose
D) All of the above